


CIERA 2755 SUNBRIDGE



SPECIFICATIONS	Std	Metric
Centerline length	27'0"	8.23m
Beam	8'6"	2.59m
Approximate weight (w/5.7L Merc engine)	5200 lbs	2359kg
Fuel capacity	78 gal	295L
Water capacity	28 gal	105L
Holding tank capacity	13 gal	49L
Draft drive up	1'8"	.51m
Draft drive down	3'3"	.99m
Bridge clearance	7'2"	2.81m
Deadrise at transom	20°	20°



HULL AND DECK

Bow hatches (2), translucent, opening, with snap-on privacy blinds
 Bow platform, fiberglass, with anchor roller and hawse pipe
 Chocks (2), bow
 Cleats: (3) anchor and mooring, (2) springline
 Deck fittings (starboard side), fuel, water and waste pump-out
 Deck side windows (nonopening), plexiglass with aluminum frames
 Eyes, stainless steel, bow and transom

Horn, dual trumpet, 12v
 Rails, stainless steel, through-bolted to deck
 Windshield, wraparound, tempered safety glass, with opening center section

HELM STATION

Compass, Ritchie™ 5", flush-mount, illuminated
 Dash, custom-molded, nonglare
 Depth sounder, Humminbird™ digital, with alarm
 Engine controls, side-mount, with outdrive trim and tilt switches in handle
 Helm seat, adjustable swivel
 Ignition safety switch, with lanyard
 Instrumentation, analog, includes tachometer, speedometer, temperature gauge, fuel gauge, oil pressure gauge and voltmeter
 Steering wheel, aluminum, with padded grip
 Trim tab controls
 VHF radio, Horizon™ Explorer™ digital, 25-watt, 64 channels, with 8' antenna
 Wiper, starboard, 12v

COCKPIT

Beverage holders (2)
 Carpet runners, snap-in
 Cockpit sink, molded, with faucet (cold), stowage below
 Door, cabin entry, lockable, plexiglass

To Be The Best For Total Customer Satisfaction



Ciera 2755 SUNBRIDGE

Entertainment table (15" x 36")
Hatch, engine access, with gas assist springs
Lights (3), step
Lounge seat, L-shaped (72"), with rope locker under
Radar wing with cockpit light and (2) weatherproof speakers
Rails, stern (port and starboard)
Transom gate (chain), port and starboard
Transom platform, integrated, with retractable ladder and handrail
Transom seat
Transom shower (hot/cold)

CANVAS

Bimini top with boot
Cruise curtain
Forward and side curtains

FORWARD BERTH/SALON

Beverage holders (6)
Curtains on side windows
Dinette, converts to V-berth (70" x 72"), with stowage under
Hanging locker
Hatch, access to anchor rope locker
Lights (5), overhead
Magazine rack
Pillows (2), designer
Portlights (2), with screens
Receptacles (2), 110v, ground fault protected
Speakers (2)
Stereo, Audiovox™ digital AM/FM cassette

GALLEY

Cabinetry, flush-face design with sea rail
Drawers (2)
Headroom, 6'2"
Receptacle, 110v, ground fault protected
Refrigerator, Norcold™ 1.8 cu. ft. (110v/12v), with freezer tray
Sink, stainless steel, with faucet (hot/cold)
Spice rack, with sliding plexiglass doors, overhead
Stove, Origo™, alcohol/electric (110v), (2) burner, with glass top
Storage cabinet (under sink)
Stowage cabinet below drawers

HEAD

Door, locking
Light (1), overhead
Mirror
Portlight, with screens
Receptacle, 110v, ground fault protected
Shower (hot/cold)
Shower pan, molded fiberglass
Sink, molded
Toilet, marine, manual flush
Towel rod
TP holder
Vanity cabinet, with sliding plexiglass doors

AFT BERTH

Berth (58" x 74"), with padded headboard (stowage behind)
Hatch, translucent, opening, with snap-on privacy blind
Lights (2), overhead
Portlight with screen

HARDWARE AND EQUIPMENT

Plumbing

Bilge pumps: (1) 1100 gph, (2) 500 gph, manual and automatic
Macerator, 12v
Seacock, bronze, on underwater through-hull fitting
Water heater, 6 gallon, 110v
Water system, pressure-demand hot and cold

Electrical

Battery charger/converter, Pro Mariner™, 8-amp
Battery switch
Dockside power inlet, 110v/30-amp, with 50' cord
Lighting fixtures, 12v
Navigation lights
Panel, 110v distribution, with magnetic circuit breakers

Mechanical

Blower for engine compartment forced ventilation
Power trim and tilt
Steering, power-assisted rack-and-pinion
Trim tabs, Bennett™, electric-hydraulic

To Be The Best For Total Customer Satisfaction



Ciera 2755 Sunbridge

CONSTRUCTION FEATURES

Five-year structural hull warranty
Carpet, exterior, polyester
Carpet, interior, 50 oz. polyester with
ScotchGard™
Decks, nonskid
Electrical system, color-coded
Hand-laid fiberglass
Headliner, polyester
Marine Core™ construction
Meets or exceeds all applicable U.S. Coast
Guard safety standards
Sequential Lift Hull™
Vinyls, heavy-duty marine-grade, 27 oz.

POWER

5.7L Alpha I MerCruiser engine (235 propshaft hp)	Std
7.4L Bravo I MerCruiser engine (300 propshaft hp)	Avail

OPTIONS

O-HA Prop delete
O-SJ Shipping Cradle

US MARINE PARTS ACCESSORIES

(Only available through US Marine Parts
Department)
Cabin heat (fresh water cooling required)
Hour meter
Mooring cover
Outboard motor bracket
Port windshield wiper

ADDITIONAL INTERNATIONAL OPTIONS

O-OT Overseas Packaging (cradle and
shrink pack)
O-VA 220v/50hz Electrical Conversion
O-VX VHF radio delete

To Be The Best For Total Customer Satisfaction

